

# SpectraLight® III Color Viewing Booth

## Faster Color Viewing Using The World's Most Accurate Daylight Simulation

The GretagMacbeth SpectraLight® III color viewing booth features innovations designed to increase productivity and reduce costs, while providing the world's most accurate simulation of natural daylight.

The new SpectraLight III *SmartLogic* technology delivers accelerated throughput with faster color approvals. And a new user-adjustable color temperature feature lets you benefit from sizable reductions in recertification costs.

### **Rapid, Simple Programming For Hands-Free Operation**

SpectraLight III offers a new level of convenience and productivity in color evaluation. Using the booth's digital display, you can easily program a sequence of different light sources for hands-free viewing. This innovative capability saves time, maximizes sample throughput, and helps prevent operator fatigue.

You can preset any combination of six light sources — Daylight (choice of D75, D65 or D50), Illuminant A (home lighting), Horizon, Ultraviolet (two levels) and

new dual fluorescent sources (choice of Cool White, TL84 or U30.) The SpectraLight III is available in either booth or overhead luminaire configuration.

### **Better Color Control With Lower Cost**

Another SpectraLight III innovation — user-adjustable color temperature — permits easy calibration utilizing a single button. This same feature, when used with a traceable spectroradiometer, enables you to self-certify your viewing booth, potentially saving thousands of dollars in recertification costs.

Realize additional savings with the SpectraLight III automatic energy-saving mode. Together with the unit's *SmartLogic*, this feature significantly extends lamp life. And there's no more guessing about lamp replacement: An easy-to-view elapsed-time meter reminds you when it's time to perform this necessary maintenance.



### **The Unrivaled Standard For Accurate Color Evaluation**

The patented filtered tungsten technology delivers the world's most accurate simulation of natural daylight. SpectraLight III meets or exceeds all major international standards for visual color evaluation.



Daylight



Horizon



Incandescent



TL 84



Cool White

## Specifications

|                  | Each Luminaire  | Each Booth  |
|------------------|---|---|
| Dimensions       | Height: 9.5" (24.1 cm)<br>Width: 37.1" (94.2 cm)<br>Depth: 25.7" (65.3 cm)  | Height: 27.5" (69.9 cm)<br>Width: 37.1" (94.2 cm)<br>Depth: 24.4" (62.0 cm) |
| Weight           | 92 lbs. (41.7 kg)   | 154 lbs. (69.9 kg)<br>(including luminaire)                                 |
| Shipping Weight  | 107 lbs. (48.5 kg)  | 194 lbs. (88 kg)  |
| Electrical Power | Dedicated 20 amp line and 20 amp line protection configured receptacle, 117 VAC. Maximum 2000 watts power required for proper operation of 110 VAC and 117 VAC units.<br><br>100/117 VAC ± 10% 50/60 Hz (5 - 20P plug)<br>220/240 VAC ± 10% 50/60 Hz (CEE 7/4 plug)   |   |
| Lamp Complement  | D75/D65/D50 Daylight: Two (2) 750 Watt Tungsten Halogen<br><br>Horizon Light: Four (4) 500 Watt Tungsten Halogen<br><br>Illuminant A: Two (2) 150 Watt Tungsten Halogen<br><br>Cool White Fluorescent: Two (2) F30T8/CWF<br><br>TL84: Two (2) F30T8/TL84<br><br>Ultraviolet: Two (2) F30T8 BLB & One (1) F6T5 BLB |   |

Specifications subject to change without notice.

**To learn more about the SpectraLight III viewing systems, contact your GretagMacbeth representative.**

GretagMacbeth SpectraLights are supplied with a Certificate of Performance with traceability to NIST (National Institute of Standards and Technology). We offer Preventive Maintenance and Certification Service for your GretagMacbeth SpectraLight viewing systems. This factory authorized service has been established to provide you with the assurance that the system meets the specified requirements for color rendering quality, which is essential for visual evaluation or color matching. Factory certification, which satisfies the requirements for ISO 9000, is recommended once a year.



**United States:** 617 Little Britain Road, New Windsor, NY 12553-6148, Tel: 800 622 2384, 914 565 7660 (Outside USA and Canada), Fax: 914 561 0267

**Switzerland:** Althardstrasse 70, CH-8105 Regensdorf, Tel: +41 1 842 24 00, Fax: +41 1 842 22 22

**United Kingdom:** Macbeth House, Pacific Road, Altrincham, Cheshire WA14 5BJ, Tel: +44 161 926 9822, Fax: +44 161 926 9835

**Germany:** Siemenstrasse 11, D-63263 Neu Isenburg, Tel: +49 61 0279 570, Fax: +49 61 0279 5757

**China:** 12A Wardley Centre, 9-11 Prat Avenue, Tsimshatsui, Kowloon, Hong Kong, Tel: +852 2368 7738, Fax: +852 2368 6717

Visit our World Wide Web Site at [www.gretagmacbeth.com](http://www.gretagmacbeth.com)

® Registered Trademark, ™ Trademark of GretagMacbeth. GretagMacbeth is an ISO 9001 Certified Company.

Part No. 982890 (5/98)



## **Sales**

### **Service Training**

**Applications and technical support  
for Australia and New Zealand.**

**GretagMacbeth products are proudly supported by:**

**Colourspec Pty. Ltd.  
Unit 1, 6 Commercial Court,  
Tullamarine, Victoria, 3043  
Australia**

|              |   |
|--------------|---|
| <b>TEL</b>   | <b>+61 3 9335 1525</b>  |
| <b>FAX</b>   | <b>+61 3 9335 1915</b>  |
| <b>WEB</b>   | <b><a href="http://www.colourspec.com.au">www.colourspec.com.au</a></b>   |
| <b>Email</b> | <b><a href="mailto:info@colourspec.com.au">info@colourspec.com.au</a></b> |